EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1100	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:52
S4	53868	(encode or encrypt$3 or ciper or scrambl$3) near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:56
S5	6	(encode or encrypt$3 or ciper or scrambl$3) near implement$4 with specific with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:58
S7	56	S1 and (software and (platform with hardware))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 13:02
S8	30	S7 and (encod$ or encrypt$3 or scrambl $3 or ciper)near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:15
S11	305	(implementation near3 data)same (encode or encrypt or scrambl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:17
S12	1100	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:17

S13	2	S12 and (implementation near3 data)same (encode or encrypt or scrambl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:18
S14	323	storage near memory near region	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:19
S15	128462	((storage near memory near region)or (reserved))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:20
S16	345	((storage near memory near region) or reserved)same private with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:21
S17	1	S16 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:21
S18	280	("20010021969" | "20010027527" | "20010037450" | "3699532" | "3996449" | "4037214" | "4162536" | "4207609" | "4247905" | "4276594" | "4278837" | "4307447" | "4319233" | "4319323" | "4347565" | "4366537" | "4403283" | "4419724" | "4430709" | "4450535" | "4521852" | "4571672" | "4759064" | "4795893" | "4802084" | "4825052" | "4907270" | "4907272" | "4910774" | "4975836" | "5007082" | "5016274" | "5022077" |	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/21 14:24

"5023908" | "5075842"
| "5079737" |
"5139760" | "5187802"
| "5230069" |
"5237616" | "5255379"
| "5287363" |
"5293424" | "5295251"
| "5303378" |
"5317705" | "5319760"
| "5350906" |
"5361375" | "5386552"
| "5421006" |
"5434999" | "5437033"
| "5442645" |
"5455909" | "5459867"
| "5459869" |
"5461217" | "5469557"
| "5473692" |
"5479509" | "5500513"
| "5504808" |
"5504922" | "5506975"
| "5511217" |
"5522075" | "5528231"
| "5533126" |
"5555385" | "5555414"
| "5560013" |
"5564040" | "5566323"
| "5568552" |
"5574936" | "5577120"
| "5582717" |
"5594227" | "5604805"
| "5606617" |
"5614703" | "5615263"
| "5628022" |
"5633929" | "5641050"
| "5657445" |
"5668971" | "5684948"
| "5706469" |
"5717903" | "5720609"
| "5721222" |
"5721781" | "5724424"
| "5729760" |
"5737604" | "5737760"
| "5740178" |
"5742756" | "5742845"
| "5752046" |
"5757919" | "5764969"
| "5768385" |
"5778069" | "5796835"
| "5796845" |
"5805712" | "5809546"
| "5825875" |
"5825880" | "5826242"
| "5835594" |
"5844986" | "5852717"
| "5852812" |

"5854913" | "5862325" | "5864830" | "5867577" | "5872994" | "5878138" | "5878141").PN. OR ("5883810" | "5884280" | "5890189" | "5897622" | "5898838" | "5898883" | "5900606" | "5901225" | "5903752" | "5903830" | "5903875" | "5903880" | "5905908" | "5909492" | "5913203" | "5915023" | "5918216" | "5919257" | "5923734" | "5930777" | "5935242" | "5935247" | "5937063" | "5949044" | "5949876" | "5950221" | "5953502" | "5956408" | "5956699" | "5958004" | "5960411" | "5963915" | "5966697" | "5970147" | "5970471" | "5970472" | "5970473" | "5970475" | "5978475" | "5978481" | "5983207" | "5987557" | "5991413" | "5999914" | "6000832" | "6002767" | "6009412" | "6012143" | "6014634" | "6014635" | "6014636" | "6014646" | "6014648" | "6014650" | "6014745" | "6014748" | "6016482" | "6016484" | "6023510" | "6029147" | "6029150" | "6029890" | "6035374" | "6038292" | "6038551" | "6041308" | "6044478" | "6052675" | "6055637" | "6058418" | "6058478" | "6061789" | "6061794" | "6064981" | "6070150" | "6070154" |

"6075938" | "6076078"
| "6078906" |
"6081790" | "6085296"
| "6088262" |
"6088717" | "6088797"
| "6092095" |
"6092198" | "6093213"
| "6098053" |
"6101584" | "6108644"
| "6112191" |
"6115458" | "6115816"
| "6122625" |
"6125352" | "6125430"
| "6131166" |
"6141752" | "6148379"
| "6158546" |
"6173417" | "6175924"
| "6175925" |
"6178509" | "6182089"
| "6188257" |
"6192455" | "6199152"
| "6205550" |
"6212635" | "6222923"
| "6226749" |
"6249872" | "6252650"
| "6269392" |
"6272533" | "6272637"
| "6275933" |
"6282650" | "6282651"
| "6282657" |
"6292874" | "6301646"
| "6308270" |
"6314409").PN. OR
("6321314" |
"6327652" | "6330670"
| "6339815" |
"6339816" | "6357004"
| "6363485" |
"6374286" | "6374317"
| "6378068" |
"6378072" | "6389537"
| "6397379" |
"6412035" | "6421702"
| "6445797" |
"6463535" | "6463537"
| "6499123" |
"6505279" | "6529909"
| "6535988" |
"6557104" | "6560627"
| "6564326" |
"6609199" | "6615278"
| "6633981" |
"6651171" | "6684326"
| "6701284").PN. OR
("7111176").URPN.

S19	23	(encod$3 or ciper or encrypt$3 or scrumbl $3)with(reserv$3 with region or private with data or private with state with data)near3 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:09
S20	7	(public with access$3 with area or storage or memory)same(encod $3 or ciper or encrypt $3 or scrumbl$3)with (reserv$3 with region or private with data or private with state with data)near3 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:16
S21	34842	"711"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:16
S22	1	S19 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:19
S23	931	processor with ((encrypt$3 or encod $3 or ciper$3 or scrumbl$3) with data) near3 (storage or memory or (public with access$3 with area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:22
S24	48	S21 and processor with ((encrypt$3 or encod $3 or ciper$3 or scrumbl$3) with data) near3 (storage or memory or (public with access$3 with area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:22
S25	1244	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:22

S26	24	S25 and processor with ((encrypt$3 or encod$3 or ciper$3 or scrumbl$3) with data) near3 (storage or memory or (public with access$3 with area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 21:06
S27	1	S24 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:23
S29	26	decod$3 same privat$3 with state with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 12:02
S30	4	S29 and "713"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 12:02
S31	1	S29 and "380"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 12:02
S33	1	S29 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 12:02
S34	9	privat$3 adj state same (decod$3 or decrypt$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 12:11
S35	7146	processor near decod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 14:20

S36	4472	processor adj decod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 14:20
S37	1	S36 and encod$3 with privat$3 with state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 14:21
S38	1744	S36 and encod$3 with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 14:21
S39	9	S36 and encod$3 with privat$3 with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 14:22
S40	2	"7149878".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 11:28
S41	456	(encod$3 or encrypt$3 or ciper$3)near(privat $3 with data or private with state with data or implement$5 with specific with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:09
S42	456	(encod$3 or encrypt$3 or ciper$3)near(privat $3 with data or private with state with data or implement$5 with specific with data or static with obfuscation or dynamic with obfuscat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:11

S43	41635	"713"/$.ccls.(encod$3 or encrypt$3 or ciper $3)near(privat$3 with data or private with state with data or implement$5 with specific with data or static with obfuscation or dynamic with obfuscat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:11
S44	205	"713"/$.ccls.and(encod $3 or encrypt$3 or ciper $3)near(privat$3 with data or private with state with data or implement$5 with specific with data or static with obfuscation or dynamic with obfuscat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:11
S45	73	"726"/$.ccls.and(encod $3 or encrypt$3 or ciper $3)near(privat$3 with data or private with state with data or implement$5 with specific with data or static with obfuscation or dynamic with obfuscat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:11
S46	113	"380"/$.ccls.and(encod $3 or encrypt$3 or ciper $3)near(privat$3 with data or private with state with data or implement$5 with specific with data or static with obfuscation or dynamic with obfuscat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:12
S48	42	(processor or cpu or microprocessor)same (encod$3 or encrypt$3 or ciper$3)near(privat $3 with data or private with state with data or implement$5 with specific with data or static with obfuscation or dynamic with obfuscat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:14

S49	5547	(decod$3 or decrypt$3 or deciper$3)with(privat $3 with data or private with state with data or implement$5 with specific with data or static with obfuscation or dynamic with obfuscat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:52
S50	5547	(decod$3 or decrypt$3 or deciper$3)with ((privat$3 with data) or (private with state with data) or (implement$5 with specific with data) or (static with obfuscation) or (dynamic with obfuscat $3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:53
S51	1511	(decod$3 or decrypt$3 or deciper$3)near3 ((privat$3 with data) or (private with state with data) or (implement$5 with specific with data) or (static with obfuscation) or (dynamic with obfuscat $3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:53
S52	114	(decod$3 or decrypt$3 or deciper$3)near ((privat$3 with data) or (private with state with data) or (implement$5 with specific with data) or (static with obfuscation) or (dynamic with obfuscat $3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:53
S53	56	S52 and "713"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:53

S54	30	S52 and "380"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:54
S55	17	S52 and "726"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:54
S56	3	(processor or CPU or microprocessor)same (decod$3 or decrypt$3 or deciper$3)near ((privat$3 with data) or (private with state with data) or (implement$5 with specific with data) or (static with obfuscation) or (dynamic with obfuscat $3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:56
S57	2	processor near private with state same (encod $3 or encrypt$3 or ciper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:37
S58	0	(processor near (private with state)) same (encod$3 or encrypt$3 or ciper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:37
S59	0	state with data near procssor same (encrypt $3 or encod$3 or ciper or scrambl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:39
S60	0	state with data near5 procssor same (encrypt $3 or encod$3 or ciper or scrambl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:40

S61	0	state with data with procssor same (encrypt $3 or encod$3 or ciper or scrambl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:40
S62	1	state with data with procssor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:40
S63	24	(encod$3 or encrypt$3 or ciper$3 or scrambl $3)near (state with data or private with state with data)with processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:43

2/25/2009 8:17:04 PM
C:\Documents and Settings\fyalew\My Documents\EAST\Workspaces\10724321.wsp